

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.unpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/582,578	06/12/2006	Reinhold Wimberger-Friedl	NL031454US1	1760
24737 7590 909000010 PHILIPS INTELECTUAL PROPERTY & STANDARDS P.O. BOX 3001 BRIARCLIFF MANOR, NY 10510			EXAMINER	
			SCHIFFMAN, BENJAMIN A	
			ART UNIT	PAPER NUMBER
			1791	•
			MAIL DATE	DELIVERY MODE
			03/30/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) WIMBERGER-ERIEDI ET AL 10/582 578 Office Action Summary Examiner Art Unit BENJAMIN SCHIFFMAN 1791 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 14 January 2010. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-11 and 16-20 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-11 and 16-20 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 12 June 2006 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

Paper No(s)/Mail Date

Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/06)

Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Art Unit: 1791

DETAILED ACTION

1. The papers submitted 14 December 2009, amending claim 1, are acknowledged.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- Claim 1-11 and 16-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. The term "low glass-to-rubber transition temperature" in claim 1 is a relative term which renders the claim indefinite. The term "low" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention. Further the term "low" is misleading with the additional limitation of "not lower than 50 degs. C." because there is there is no indication of a maximum transition temperature and thus the phrase low is indefinite.
- Claims 2-11 and 16-20 are rejected for their dependence.

Claim Rejections - 35 USC § 103

 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be neadtived by the manner in which the invention was made.

Art Unit: 1791

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148
 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- Claims 1-11 and 16-20 rejected under 35 U.S.C. 103(a) as being unpatentable over SOANE ET AL (US 6,570,714 B2) as evidenced by DEALY ET AL (Structure and Rheology of Molten Polymers - From Structure to Flow Behavior and Back Again) and Ashby (Materials Selection in Mechanical Design).
- 10. Regarding claim 1 and 20, SOANE discloses a process for the fabrication of a composite article, such as an optical microstructure (see abstract), being supported on a substrate (see column 4 line 40-41), starting from a dead polymer, analogous to a

Art Unit: 1791

thermoplastic polymer (see column 4 line 54), wherein the dead polymer is blended with a reactive plasticizer, analogous to a curable resin, (see column 4 line 53-54). which is curable by UV light (see column 20 line 47 and column 24 lines 43-44) and an initiator (see column 4 line 54), specifically thermally stable photoinitiators (see column 24 lines 44-47), to obtain a blend having a lower viscosity than the viscosity of said polymer (see column 15 lines 4-5), said blend being molded and the molded blend being cured by means of UV radiation (see column 4 lines 55-63 and column 20 line 47). Additionally Soane discloses that the thickness of the optical microstructure is approximately 0.5 to 1 mm (see column 10 line 24), and exemplary microstructure diameters of 55 mm and 70 mm (see col. 28 l. 55, col. 29 l. 38 and col. 30 l. 47); resulting in a thickness to diameter ratio of 0.007143 to 0.018182, which overlaps the claimed range of 1/50 (0.02) to 1/1000 (0.001) and therefore the claimed range is prima facie obvious in view of the overlapping range (see MPEP 2144.05). Further, SOANE discloses that the dead polymer is polymethylmethacrylate (PMMA) with a low molecular weight of 25,000 (see col. 26 l. 67); having a glass transition temperature, depending on processing, of 85° C. to 165° C. as evidenced by Ashby (see p. 519), which is within the claimed range of not lower than 50° C. (see MPEP 2144.05).

11. Regarding claim 2, SOANE discloses that the dead polymer is polymethylmethacrylate (PMMA) with a molecular weight of 25,000, which is within the claimed range of 0.5 to 2 times the critical entanglement molecular weight, i.e. 14,750 to 59,000, as evidenced by DEALY, where the critical entanglement molecular weight of PMMA is 29.500 (see page 481).

Art Unit: 1791

Regarding claim 3, SOANE discloses that the dead polymer is substantially fully
polymerized, i.e. 95% to 98% polymerized, which is analogous to a minor amount of
reactive groups (see column 13 lines 33-38).

- Regarding claim 4, SOANE discloses that the dead polymer can be amorphous (see column 21 line 45).
- Regarding claim 5, SOANE discloses that the dead polymer can be a copolymer (see column 21 line 64).
- 15. Regarding claim 6, SOANE discloses that the dead polymer can be polymethylmethacrylate, polystyrene, polycarbonate (see column 21 lines 37-41), cycloolefinic polymer and cyclo-olefinic copolymer (see column 23 lines 23-25).
- 16. Regarding claim 7 and 18, SOANE discloses that the concentration of reactive plasticizer is about 0.1-100 wt%, preferably about 1-50 wt%, and more preferably about 15 to 40 wt% (see column 14 lines 49-54), which corresponds to about 0.1 vol% to about 100 vol%, about 1-1.5 vol% to about 45-60 vol%, or about 13-20 vol% to about 35-50 vol% respectively. This correspondence is based on a conversion using the densities of PMMA reported in KIPP (Plastic Material Data Sheets) of 1.14-1.52 g/cm³ and the densities of acrylate monomers reported in BRANDRUP ET AL (Polymer Handbook 4th Edition) of 0.8-1.7803 g/cm³. These materials where chosen as they are an example, specifically example 4, of dead polymers and reactive plastic as disclosed in SOANE (see column 26 line 66 to column 27 line 9). These concentrations overlap, with sufficient specificity to anticipate the claimed range of 20-80 vol% or 40-60

Art Unit: 1791

vol% (see MPEP 2131.03), alternatively the claimed range is *prima facie* obvious in view of the overlapping range (see MPEP 2144.05).

- Regarding claim 8, SOANE discloses that the reactive plasticizer is an epoxy resin (see column 24 line 30 and 44).
- Regarding claim 9, SOANE discloses that the reactive plasticizer is acrylates or methacrylates (see column 25 lines 2-21).
- Regarding claim 10, SOANE discloses that the dead polymer and the reactive plasticizer have a similar refractive index (see column 23 line 10-14).
- Regarding claim 11, SOANE discloses that the substrate is polycarbonate, which
 is a polymer (see column 17 line 10).
- 21. Regarding claim 16, SOANE discloses a process for the fabrication of a composite article, such as an optical microstructure (see abstract), with a thickness of approximately 0.5 to 1 mm (see column 10 line 24) which overlaps the claimed range of at most 1 mm, preferably at most 0.5 mm (see MPEP 2131.03). Additionally SOANE discloses specific examples of thicknesses of 1 mm (see column 30 lines 2, 59 and column 31 lines 10 and 24). These ranges and examples display sufficient specificity to anticipate the claimed range.
- Regarding claim 17, SOANE discloses that the epoxy resin is an ethoxylated bisphenol A diacrylate (see column 25 lines 12-13).
- 23. Regarding claim 18, although Soane does not explicitly disclose that the vitrification temperature (glass transition temperature) is above 50° C.; however one of ordinary skill in the art would recognize that the disclosed process would be capable of

Art Unit: 1791

obtaining a mixture with these properties, and further a skilled artisan would optimize the process in order to obtain mixtures with glass transition temperatures above 50° C without undue experimentation (see MPEP 2144.04).

Response to Arguments

- Applicant's arguments filed 14 December 2009 have been fully considered but they are not persuasive.
- 25. Regarding claim 1, applicant argues that Saone fails to provide any disclosure regarding a transition temperature or a molecular weight and therefore does not render the instant claim obvious. However, as discussed in the above 35 U.S.C. § 103(a) rejection, SOANE discloses that an exemplary dead polymer is polymethylmethacrylate (PMMA) with a low molecular weight of 25,000 (see col. 26 I. 67); having a glass transition temperature, depending on processing, of 85° C. to 165° C. as evidenced by Ashby (see p. 519), which is within the claimed range of not lower than 50° C. (see MPEP 2144.05).
- 26. With respect to claims 2-11 and 16-20, applicant presents no further arguments other than those addressed above with respect to claim 1.

Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1791

28. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Page 8

- 29. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BENJAMIN SCHIFFMAN whose telephone number is (571)270-7626. The examiner can normally be reached on Monday through Thursday from 9AM until 4PM.
- 30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, CHRISTINA JOHNSON can be reached on 571-272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

31. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/BENJAMIN SCHIFFMAN/ Examiner, Art Unit 1791

/Christina Johnson/ Supervisory Patent Examiner, Art Unit 1791